

|                                                                                   |                                                                                                                              |                           |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|---------------------------|
|  | <b>SAFETY DATA SHEET</b><br>According to Regulation (EU) 2020/878, amending Annex II of Regulation (EC) No 1907/2006 (REACH) |                           |
|                                                                                   | <b>BROFIL PLUMBING</b>                                                                                                       |                           |
|                                                                                   | Printing date: 21/07/2026<br>Revision date: 21/07/2026                                                                       | Version: 4<br>Page: 1 / 7 |

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier
:

| Trade name     | Regulation      | Alloy nº. | Description | UFI Code            |
|----------------|-----------------|-----------|-------------|---------------------|
| BROFIL Sn/Ag 3 | UNE-EN ISO 9453 | 702       | Sn97Ag3     | HJE2-90Q4-J00P-XM4C |
| BROFIL Sn/Ag 4 | UNE-EN ISO 9453 | 703       | Sn96,5Ag3,5 | K2F2-A0UH-D00N-WNMR |
| BROFIL Sn/Ag 5 | UNE-EN ISO 9453 | 704       | Sn95Ag5     | W1R0-J096-300T-3PGV |
| BROFIL Sn/Ag 6 | Not applicable  | ---       | Sn94Ag6     | M800-E0CY-X00P-T72S |
| BROFIL Sn/Ag 8 | Not applicable  | ---       | Sn92Ag8     | SF00-E0RS-J00N-4W7W |
| BROFIL Sn/Cu 1 | UNE-EN ISO 9453 | 401       | Sn99,3Cu0,7 | 2GE2-T00R-8006-88J9 |
| BROFIL Sn/Cu 3 | UNE-EN ISO 9453 | 402       | Sn97Cu3     | CRE2-A02X-500P-899G |

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

: Soldering through capillarity, tinning metals.

Uses advised against

: Do not use for other purposes other than those described in the product.

1.3. Details of the supplier of the safety data sheet

Supplier

: BROQUETAS, S.L.

Address

: c/ Can Sallarès 12-16  
08740 Sant Andreu de la Barca, Barcelona (Spain)

Telephone number

: +34 936401900

E-mail address for a competent person responsible for the safety data sheet:

: broquetas@broquetas.com

1.4. Emergency telephone number
: +34 936401900

Availability

: Monday to Friday from 8:00 to 14:00 h.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

| Classification according to Regulation (EC) Nº 1272/2008 [CLP]                         |                       |  |
|----------------------------------------------------------------------------------------|-----------------------|--|
| Hazard Classes/ categories                                                             | Hazard statements (H) |  |
| The product is not considered dangerous according to Regulation (EC) 1272/2008 [CLP] * |                       |  |
| * This product consists of an alloy of tin, silver or copper.                          |                       |  |

2.2. Label elements

| According to Regulation (EC) Nº 1272/2008 [CLP]                                            |                       |                              |
|--------------------------------------------------------------------------------------------|-----------------------|------------------------------|
| Signal Word and Pictograms                                                                 | Hazard statements (H) | Precautionary Statements (P) |
| Not applicable. The product is not considered dangerous by Regulation (EC) 1272/2008 [CLP] |                       |                              |

2.3. Other hazards

Compliance with PBT/vPvB criteria

: Not classified as PBT or vPvB.



**BROQUETAS**  
LA SOLDADURA SEGURA · THE RELIABLE SOLDER

## SAFETY DATA SHEET

According to Regulation (EU) 2020/878, amending Annex II of Regulation (EC) No 1907/2006 (REACH)

### BROFIL PLUMBING

Printing date: 21/07/2026

Version: 4

Revision date: 21/07/2026

Page: 2 / 7

#### Other hazards not identified in the classification

Due to the high temperatures reached when working with this product, burns caused by molten material may occur. It can be harmful and produce health damage by inhalation of vapours emitted during the welding process. It should be used in ventilated areas.

## SECTION 3. Composition/information on ingredients

### 3.2. Mixtures

| Chemical name | Content (%) | CAS number | CE number | REACH registration | Clasification according Regulation 1272/2008 (CLP)* |
|---------------|-------------|------------|-----------|--------------------|-----------------------------------------------------|
| Tin (Sn)      | 90 – 99     | 7440-31-5  | 231-141-8 | -                  | Not classified                                      |
| Silver (Ag)   | 0 – 10      | 7440-22-4  | 231-131-3 | -                  | Not classified**                                    |
| Copper (Cu)   | 0 – 3       | 7440-50-8  | 231-159-6 | -                  | Not classified***                                   |

\* Full text of hazard statements: see section 16.

\*\* If the particle size of the substance is < 1 mm, it is classified as Aquatic Acute 1 (H400) and Aquatic Chronic 1 (H410).

\*\*\* If the substance is presented in flakes, it is classified as Acute Tox. 4 – oral (H302).

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General notes

: If a health problem is detected, seek medical advice.

#### In case of inhalation

: Remove victim to fresh air and seek medical advice.

#### In case of contact with skin

: Wash skin thoroughly with mild soap and water. Consult a doctor if symptoms persist.

#### In case of contact with eyes

: Immediately rinse long with water for several minutes holding the eyelids open. Consult an ophthalmologist immediately.

#### In case of ingestion

: Consult a doctor immediately. Do not induce vomiting. If the person is conscious, rinse mouth with water. DO NOT give water to an unconscious person. (Under the right conditions of use, the product is not ingestible).

#### Recommendations for first aid responders

: Use suitable protection clothes.

### 4.2. Most important symptoms and effects, both acute and delayed

: May cause skin irritation, especially if exposure is repeated.  
May cause irritation by inhalation of vapours during application, if exposure is prolonged and in a small, poorly ventilated space.

### 4.3. Indication of any immediate medical attention and special treatment needed

: Undefined

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

: Use chemical powder, foam or water fog.

#### Unsuitable extinguishing media

: Unknown.

### 5.2. Special Hazards arising from the substance or mixture

#### Hazardous combustion products

: Vapours of oxides and fumes of metals.

#### Other specific hazards

: Smoke released by the combustion of the product may cause damage to the airways.

### 5.3. Advice for firefighters

: In case of fire, use individual respiratory protection equipment. Firefighters must wear fire resistant protection equipment.



**BROQUETAS**  
LA SOLDADURA SEGURA · THE RELIABLE SOLDER

## SAFETY DATA SHEET

According to Regulation (EU) 2020/878, amending Annex II of Regulation (EC) No 1907/2006 (REACH)

### BROFIL PLUMBING

Printing date: 21/07/2026

Version: 4

Revision date: 21/07/2026

Page: 3 / 7

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: Follow the indications described in section 8.

For emergency responders

: Avoid contact with skin, eyes and clothing. Follow the indications described in section 8.

### 6.2. Environmental precautions

: Avoid contact with drains and riverbeds.

### 6.3. Methods and material for containment and cleaning up

Collect the product mechanically. To completely remove, clean the surface with water.

### 6.4. Reference to other sections

: For more information, see sections 8 and 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Prevention and protection measures

: Handle the product carefully. During the welding process the product attains high temperatures so using suitable globes and eye protection and wearing a mask in poorly ventilated areas is recommended, as it is described in section 8.2.

Advice on general occupational hygiene

: Do not eat, drink or smoke while handling the product. Keep proper hygiene after handling.

### 7.2. Conditions for safe storage, including any compatibilities

Technical measures and storage conditions

: Storage temperatures above 60 ° C should be avoided.

Containers requirements and storage areas

: Store in tightly closed containers in a dry location.

Further information for storage

: Keep container tightly closed.

### 7.3. Specific end use (s)

: Surface mount components of the electronics industry assembly.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Occupational exposure limits

: Tin: TLV (as TWA): 2 mg/m<sup>3</sup> (as tin) (ACGIH 1990-1991)  
Silver : TLV (metal): 0.1 mg/m<sup>3</sup> (ACGIH 1997). LEP UE: 0.1 mg/m<sup>3</sup> as TWA (UE 2000)  
copper: TLV (metal): 1 mg/m<sup>3</sup> (ACGIH 1997). LEP UE: 1 mg/m<sup>3</sup> as TWA (UE 2000)

DNELs and PNECs

: Not available

### 8.2. Exposure controls

Appropriate engineering controls

: It is recommended the use in open or well-ventilated areas or the use of forced mechanical extraction.

Individual protection measures, such as personal protective equipment

Eye/face protection

: Safety goggles to avoid splashes.  
PPE: Protection glasses with integrated mount.  
Characteristics: 'CE' Category II. Eye protector with integrated mount to use against dust, fumes, fog and vapours.  
CEN standards: EN 165, EN 166, EN 167, EN 168  
Maintenance: : Visibility through lenses should be optimal, so their daily cleaning is required, Protectors should be disinfected periodically following the manufacturer's instructions.  
Observations: Indicators of deterioration include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.

Skin protection

Hand protection

: Use resistance gloves for tiny molten metal splashes.  
PPE: Protection gloves against tiny molten metal splashes.  
Características: 'CE' Category III.



**BROQUETAS**  
LA SOLDADURA SEGURA · THE RELIABLE SOLDER

## SAFETY DATA SHEET

According to Regulation (EU) 2020/878, amending Annex II of Regulation (EC) No 1907/2006 (REACH)

### BROFIL PLUMBING

Printing date: 21/07/2026

Version: 4

Revision date: 21/07/2026

Page: 4 / 7

Normas CEN: EN 407: 2004, UNE-EN 12477:2002

Mantenimiento: They should be stored in a dry place, away from heat sources, and the exposure to sunlight should be avoided as much as possible. Do not perform modifications on the gloves that may alter their resistance, and do not apply any paints, solvents or adhesives.

Observaciones: Gloves should be of the right size and fit the hand without being too loose or too tight. They should always be used with clean, dry hands.

#### Others

: Use appropriate protective clothing.

#### Respiratory protection

: Use filter mask P3 BE EN 141 if you work for long periods of time in small, poorly ventilated spaces.

Use in open or well ventilated areas or use forced mechanical extraction.

PPE: Filter mask for protection against gases and particles

Characteristics: 'CE' Category III. The mask must have a wide field of vision and anatomically shaped to provide sealing and tightness.

CEN standards: EN 136, EN 140, EN 405

Maintenance: Do not store in locations exposed to high temperatures and damp environments before use. The state of the inhalation and exhalation valves of the face adapter must be specially controlled.

Observations: Read carefully the manufacturer's instructions about the use and maintenance of equipment.

#### Environmental exposure controls

: Take into account the usual precautions to protect the environment, see section 6.2.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

: Dark gray solid.

#### Odour

: Not significant

#### Odour threshold

: Not applicable.

#### pH

: Not applicable.

#### Melting point/freezing point

: 217-320°C

#### Initial boiling point and boiling range

: Not applicable.

#### Flash point

: Non-flammable.

#### Evaporation rate

: Not applicable.

#### Flammability (solid, gas)

: Non-flammable.

#### Upper/lower flammability or explosive limits

: Not applicable.

#### Vapour pressure

: Not applicable.

#### Vapour density

: Not applicable.

#### Relative density

: 7,31-7,38 g/cm<sup>3</sup>

#### Solubility(ies)

: Water-insoluble.

#### Partition coefficient: n-octanol/water

: Not applicable.

#### Auto-ignition temperature

: Not applicable.

#### Decomposition temperature

: Not applicable.

#### Viscosity

: Not applicable.

#### Explosive properties

: No.

#### Oxidising properties

: No.

### 9.2. Other information

: No additional information.



**BROQUETAS**  
LA SOLDADURA SEGURA · THE RELIABLE SOLDER

## SAFETY DATA SHEET

According to Regulation (EU) 2020/878, amending Annex II of Regulation (EC) No 1907/2006 (REACH)

### BROFIL PLUMBING

Printing date: 21/07/2026

Version: 4

Revision date: 21/07/2026

Page: 5 / 7

#### SECTION 10: Stability and reactivity

|                                        |                                                                                              |
|----------------------------------------|----------------------------------------------------------------------------------------------|
| 10.1. Reactivity                       | : Stable under normal conditions (does not react)                                            |
| 10.2. Chemical stability               | : Stable under normal conditions.                                                            |
| 10.3. Hazardous reactions              | : Heating may cause fumes of metal and vapour oxides.                                        |
| 10.4. Conditions to avoid              | : Storage temperatures above 60 ° C should be avoided.                                       |
| 10.5. Materials to avoid               | : Contact with strong acids and bases that can cause exothermic reactions should be avoided. |
| 10.6. Hazardous decomposition products | : Not available.                                                                             |

#### SECTION 11: Toxicological information

##### 11.1. Information on toxicological effects

| Hazard/Effect class               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acute toxicity                    | : <u>Tin (CAS: 7440-31-5):</u><br>LC50 (Inhalation)> 5 mg/L<br>LD50 (Oral)> 2000 mg/kg<br>LD50 (dermal)>2000 mg/kg<br><br><u>Silver (CAS: 7440-22-4):</u><br>LC50 (Inhalation)>5,16 mg/L<br>LD50 (Oral)> 5110 mg/kg<br>LD50 (dermal)>2000 mg/kg<br><br><u>Copper (CAS: 7440-50-8):</u><br>LC50 (Inhalation)>5,11 mg/L<br>LD50 (Oral)> 2500 mg/kg<br>LD50 (dermal)>2000 mg/kg<br><br><u>Mixture:</u><br>ATEmix (Inhalation)>5,13 mg/L<br>ATEmix (Oral)>2719 mg/kg<br>ATEmix (dermal)>2000 mg/kg |
| Skin corrosion/irritation         | : Not applicable.                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Serious eye damage/irritation     | : Not applicable.                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Respiratory or skin sensitisation | : May cause an allergic skin reaction.                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Germ cell mutagenicity            | : Not applicable.                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Carcinogenicity                   | : Not applicable.                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Reproductive toxicity             | : Not applicable.                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| STOT-single exposure              | : Not applicable.                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| STOT-repeated exposure            | : Not applicable.                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Aspiration hazards                | : Not applicable.                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Symptoms                          | : During heating may produce slight eye, nasal and respiratory track irritation.                                                                                                                                                                                                                                                                                                                                                                                                               |
| Chronical effects                 | : Only after years of constant activity in unfavourable conditions, there may be risk of pulmonary edema.                                                                                                                                                                                                                                                                                                                                                                                      |
| Endocrine disruptor information   | : Contains no known or suspected endocrine disruptor.                                                                                                                                                                                                                                                                                                                                                                                                                                          |

#### SECTION 12: Ecological information

|                                       |                                                                                                              |
|---------------------------------------|--------------------------------------------------------------------------------------------------------------|
| 12.1. Toxicity information            | : No data available.                                                                                         |
| 12.2. Persistence and degradability   | : No data available.                                                                                         |
| 12.3. Bioaccumulative potential       | : No data available.                                                                                         |
| 12.4. Mobility in soil                | : No data available.                                                                                         |
| 12.5. Results PBT and vPvB assessment | : Not classified as PBT nor vPvB.                                                                            |
| 12.6. Ecological effects information  | : This substance may be hazardous to the environment; should pay particular attention to aquatic ecosystems. |

#### SECTION 13: Disposal considerations

|                                                   |                                                                                                                                                                                                 |
|---------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 13.1. Waste treatment methods                     |                                                                                                                                                                                                 |
| Appropriate methods of waste treatment of product | : Product waste must be transported to an authorized waste disposal plant. Dispose according to local and national regulations. Do not remove by direct discharge into rivers or sewage system. |



**BROQUETAS**  
LA SOLDADURA SEGURA · THE RELIABLE SOLDER

## SAFETY DATA SHEET

According to Regulation (EU) 2020/878, amending Annex II of Regulation (EC) No 1907/2006 (REACH)

### BROFIL PLUMBING

Printing date: 21/07/2026

Version: 4

Revision date: 21/07/2026

Page: 6 / 7

Appropriate methods of waste treatment of contaminated packaging

: Handle contaminated containers as the product itself.

#### SECTION 14: Transport information

|                                    | ADR/RID                                                          | AND/ADNR | IMDG | IATA |
|------------------------------------|------------------------------------------------------------------|----------|------|------|
| 14.1. UN number                    | The product is not classified according to transport agreements. |          |      |      |
| 14.2. UN proper shipping name      |                                                                  |          |      |      |
| 14.3. Transport hazard class (es)  |                                                                  |          |      |      |
| 14.4. Packing group                |                                                                  |          |      |      |
| 14.5. Environmental hazards        |                                                                  |          |      |      |
| 14.6. Special precautions for user |                                                                  |          |      |      |
| Special dispositions               |                                                                  |          |      |      |

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code : Not applicable.

#### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture  
EU regulations

REACH authorizations

: The product does not contain a substance present in the candidate list of SVHC, and in Annex XIV of REACH.

REACH use restrictions

: The product has no restriction of use.

Regulation (EC) 2037/2000 on substances that deplete the ozone layer

: Not applicable.

15.2. Chemical safety assessment

: An evaluation of the product's chemical safety has not been carried out.

#### SECTION 16: Other information

Changes to the previous version

: Changes in sections 1, 11 and 16.  
This SDS replaces version 2.

Abbreviations and acronyms

: SDS: Safety data sheet  
PBT: Persistent, bioaccumulative and toxic  
vPvB: Very persistent and very bioaccumulative  
TLV: Threshold Limit Values  
TWA: Time Weighted Average  
ACGIH: American Conference of Industrial Hygienists  
DNEL: Derived non-effect level  
PNEC: Predicted non-effect concentration  
SVHC: Substances of Very High Concern  
LD50: Median Lethal dose.  
LC50: Median Lethal Concentration.  
ATEmix: Acute toxicity estimated of the mixture.

Key literature references and sources for data

: Safety data sheet of the components.  
<https://echa.europa.eu/>

Methods used for the purpose of mixture classification according to Regulation 1272/2008 (CLP):

: Calculation performed after the classification of substances in the mixture.



**BROQUETAS**  
LA SOLDADURA SEGURA · THE RELIABLE SOLDER

## SAFETY DATA SHEET

According to Regulation (EU) 2020/878, amending Annex II of Regulation (EC) No 1907/2006 (REACH)

### BROFIL PLUMBING

Printing date: 21/07/2026

Version: 4

Revision date: 21/07/2026

Page: 7 / 7

#### Hazard statements (section 3.2)

: Not applicable. The product is not considered dangerous by Regulation (EC) 1272/2008 [CLP]

#### Advice on any training appropriate for workers:

: Maintenance and production plant crew has received information and training on the safety instructions in plant and equipment.

#### NOTES

: This information is based on the knowledge we have so far. This SDS refers exclusively to this product. All chemical substances in this product have been reported or are exempt from notification under notification to the EC laws. Information in this SDS is based on the available published sources and is believed to be accurate. No warranty, express or implied, is made and our company assumes no liability resulting from the use of this MSDS. The user must determine suitability of this information for his application. The specifications of this safety data sheet describes the safety requirements of our product, this is not a guarantee of characteristics. They are based on current state.